

L Number	Hits	Search Text	DB	Time stamp
2	1	(( "6690831" or "6567531").pn.) and energy	USPAT; DERWENT	2004/01/23 13:03
1	2	("6690831" or "6567531").pn.	USPAT; DERWENT	2004/01/23 13:05
3	0	6690831.pn.	USPAT; DERWENT	2004/01/23 13:23
4	2	6192138.pn.	USPAT; DERWENT	2004/01/23 13:24
5	0	wo9910837.ap.	USPAT; DERWENT	2004/01/23 13:24
6	0	wo9910837.ap.	EPO	2004/01/23 13:25
7	0	wo9910837	EPO	2004/01/23 13:25
8	0	wo9910837.pn.	EPO	2004/01/23 13:25
9	0	wo99010837.pn.	EPO	2004/01/23 13:25
10	0	wo99010837.ap.	EPO	2004/01/23 13:25
11	0	wo010837.ap.	EPO	2004/01/23 13:25
12	0	99010837.ap.	EPO	2004/01/23 13:25
13	0	9910837.ap.	EPO	2004/01/23 13:25
14	1	9910837.pn.	EPO	2004/01/23 13:43
15	2	5171821.pn.	USPAT; DERWENT	2004/01/23 13:44
16	2	5717821.pn.	USPAT; DERWENT	2004/01/23 13:44

---

Printed by EAST

---

**UserID:** ADo

**Computer:** WS10147

**Date:** 01/23/2004

**Time:** 13:52

	U	1	Document ID	Issue Date	Page s	Title	Current OR
1	<input type="checkbox"/>	<input type="checkbox"/>	US 5717821 A	19980210	31	Method, apparatus and recording medium for coding of separated tone and noise characteristic spectral components of an acoustic signal	704/200.1
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EP 653846 B	20031110	31	High-efficiency digital data signal coding method, e.g. for audio signal recording on disc - converting input signal into frequency components, separating tone and noise components, and separately encoding	

[illegible]

	Image Doc. Displayed	PT
1	US 5717821	<input type="checkbox"/>
2	US 5717821	<input type="checkbox"/>

---

Printed by EAST

---

**UserID:** ADo

**Computer:** WS10147

**Date:** 01/23/2004

**Time:** 13:52

	U	1	Document ID	Issue Date	Page s	Title	Current OR
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6192138 B1	20010220	23	Apparatus and method for embedding/unembeddin g supplemental information	382/100
2	<input type="checkbox"/>	<input type="checkbox"/>	GB 2326048 A	19981209	23	Digital watermark embedding apparatus for compressed image data - inserts digital watermark, generated by scanning or from memory, into block transformed image signal in zero run section immediately preceding end of block in each scanned block of image data	

[illegible]



	Image Doc. Displayed	PT
1	US 6192138	<input type="checkbox"/>
2	US 6192138	<input type="checkbox"/>